

# JIGAWA STATE MATERNAL, NEWBORN AND CHILD HEALTH SCORECARD



# JIGAWA STATE SCORECARD

INDICATOR	2010	2011	2012	INDICATOR	2010	2011	2012
% of fully immunised infants aged 0-11 months	66%	81%	59%	Postnatal clinic visits ≥ 7 days of delivery			
% of facilities with at least 3 modern family planning commodities in stock				% of neonates who did not present with sepsis			99%
% of pregnant women making at least 4 antenatal care visits according to standards			37%	% of low birth weight babies placed in kangaroo mother care (KMC)			
% of births attended by a skilled health personnel	15%	19%	24%	% of newborns with low birth weight who survived and were discharged after receiving KMC			
% of HIV-infected pregnant women who receive antiretroviral prophylaxis			60%	% infants 0-6 months exclusively breast fed			78%
State budget allocated to the health sector (Target is 15%)	10%	14%	12%	% of new diarrhoea cases under-5 years given oral rehydration solution and zinc supplementation			
% of public health facilities having active facility health committees	4%	5%	8%	% of children under-5 years without new cases of diarrhoea	93%	89%	90%
Evidence of civil society organisations' involvement in the development, monitoring and review of mid-term sector strategy	LOW	MEDIUM	HIGH	% of females aged 15-49 years using modern contraception	1%	1%	2%
At least 4 multi-sectoral and development partners meetings held according to the extant coordination mechanism in a year	10	6	4	% of health facilities conducting maternal death reviews			
% of health budget spent on health research and evaluation in the State (Target 2%)	0.2%	0.2%	0.3%	At least 2 MNCH-related operations research conducted annually		I	I
% of health facilities with information, education and communication materials displayed, including immunisation resources	10%	6%	4%	% of secondary health facilities with functional blood bank services	8%	8%	25%
% of health facilities providing at least weekly routine immunisation	57%	89%	92%				
% of health facilities with at least 90% of life-saving drugs available (e.g. oxytocin, magnesium sulphate, misoprostol, antibiotics)	26%	52%	75%				
% of health facilities with 75% or above that have tracer medical supplies (e.g. IV fluids)	5%	14%	26%				
% of health facilities with 75% or above that have tracer medical equipment (e.g. suction and resuscitation machines)		9%	47%				
% of women who received two doses of malaria intermittent preventive treatment			8%				

## COLOUR KEY:

- NO DATA AVAILABLE
- INDICATOR ACHIEVED: 75-100%
- RELATIVELY GOOD PROGRESS: 50-74%
- POOR PERFORMANCE: BELOW 50%

# MAMAYE ASKS YOU TO ENSURE:

1. **Better** and **complete** data for tracking MNCH progress
2. Functional blood banks in **every** secondary health facility
3. **Every** woman in your district delivers in a facility with a skilled birth attendant
4. The commitment to allocate **15% of government spending** to the health sector is met



web: [mamaye.org.ng](http://mamaye.org.ng)  
facebook: MamaYeNigeria  
twitter: @MamaYeNigeria

